



HT BELLOWS

- Our HT Bellows are specially designed for applications up to 1000oF. Our design and fabrication team will provide removable HT Bellows that ensure precise fitting to protect your equipment from external heat sources or provide protection from debris infiltration including chemicals, acids, oils grease, ozone and many other solvents.
- Available in virtually any size and dimension.
- Rated for 500oF (260oC) up to 1000oF (537oC) continuous.
- Excellent resistance to ozone, oxidization, UV, corona, cosmic radiation, ionising radiation and weathering in general.
- Outstanding flame resistance and is absolutely fireproof.



HT Bellows may be constructed from a variety of materials depending on the specific application requirements. Some typical materials include:

- Eko-Therm™ Blanket - Manufactured from flexible aluminized fabric this blanket is an ideal solution for reflecting external radiant and convective heat away from the protected equipment.
- MSA96 Blanket - This extremely flexible and heavy duty high temperature blanket offers metal, casters producers, smelters, and fabricators a high quality versatile product to defend against molten splash.
- MSA17 Blanket - Manufactured in a blanket form, this extremely flexible medium duty high temperature blanket combines excellent weather resistance and spatter resistance to outperform most standard woven fibrous welding cloths

DISTRIBUTED BY
JEC
DISTRIBUTORS INC.
905.469.3229
JEC-INC.COM